IEEE-488 versatility keeps networks in check (DF), Feb., p. 114.
Ubiquitous UART speeds digital-RF interfacing (DF), Jan., p. 113.
Understanding PSK demodulation techniques (DF), Apr., p. 113.

Direct broadcast satellite

Antennas: Flat-plates to follow reflectors in European DBS (N), Nov., p. 41.
At long last, DBS receiver standards (N), Sep., p. 33.
Aussie DBS gets B-MAC (FE), Nov., p. 31.
Big doings at COMSAT [DBS reorganization] (FE), Nov., p. 23.
COMSAT helps PRC with DBS (FE), Oct., p. 23.
DBS TWTs put to test at COMSAT Labs (FE), Jun., p. 33.
Ford building DBS birds (FE), May, p. 19.
Japan Broadcasting Corp. stalks high-definition DBS (N), Apr., p. 43.
Radio Shack to sell DBS (FE), Jan., p. 22.
Toshiba readies home receivers (FE), Feb., p. 19.
USSB takes RCA's pair (FE), Aug., p. 19.
Who's in, who's out (FE), Sep., p. 19.
Yes, Indiana, there is DBS (N), Mar., p. 53.

Electronic warfare

A bull EW market for Racal (N), Mar., p. 55.
A snappy Hazeltine jammer (FE), Nov., p. 31.
Battlefield Communications: Expendable jammers prove indispensable (DF), Sep., p. 143.
Canada buys AN/ALR-67(V) (FE), May, p. 23.
EW radomes present rigorous challenges (DF), Dec., p. 102.
EW receivers get GaAs MMICs (FE), Jan., p. 19.
Five teams get INEWS pacts (FE), Sep., p. 27.
Loral sells first Rapport III (FE), Jan., p. 19.
Solid-state amplifier pushes 400 W at 500 MHz (PT), Sep., p. 201.
Triton warns small ships (FE), Apr., p. 23.

Electrooptics

Acoustooptics may replace electronic processing (DF), Nov., p. 81.
Army: "Eyes" have it (FE), Mar., p. 22.
High linearity from an electrooptical transponder (N), May, p. 38.
Newport Research Awards (FE), Apr., p. 19.
Optoelectronics: Integration aims at performance (SR), May, p. 164.

EMI/RFI

An active EMC community struggles for acceptance (TCU), Oct., p. 67.
At Racal, testing for TEMPEST (FE), Nov., p. 23.
A Specifier's Guide to the Interference Control Industry (TCU), Oct., p. 102.
Effective shielding is more than a pretty facade (TCU), Oct., p. 85.
EPA: No zap spec (FE), Oct., p. 27.
Even satellites aren't safe from electrostatic discharge (TCU), Oct., p. 97.
IBM and NBS study EMI (FE), Sep., p. 31.
Interference technology: A little recognition, please (TCU), Oct., p. 64.
Of metrology and an increasing EMI awareness: A view from the NBS (TCU), Oct., p. 78.
Radiation protection in New Jersey (N), Oct., p. 40.
Siemens cages NMR interference (FE), Dec., p. 25.
SMA connectors set new EMI/RFI shielding standards (PT), Oct., p. 167.
Technology Close-up: Interference control technology (TCU), Oct., p. 63.
TEM cells measure shielding (FE), Mar., p. 27.
Use a spectrum analyzer to make EMI measurements (DF), Apr., p. 134.
"We have to do away with a lot of myths" (TCU), Oct., p. 83.

Fiber optics

Coupled-cavity concept met in new laser from Bell Labs (N), Jan., p. 29.
GTE sees the light (N), Aug., p. 59.
Light pulse generator is versatile optical source (PT), May, p. 250.
More fibers from Corning (FE), Sep., p. 23.
Optics: Military drives IF fiber optics (SR), May, p. 182.
Plastic systems from Motorola (FE), Jan., p. 27.
TAT-8 contracts awarded (FE), Jan., p. 19.
Wideband laser diodes spark new designs (PT), Nov., p. 109.
Newport Research Awards (FE), Apr., p. 19.

Low-noise design

Dual-gate GaAs MESFETs: A low-noise alternative to MOSFETs at 1000 MHz (DF), Apr., p. 120.
Where lies the thermal noise floor (DF), Jul., p. 115.

Manufacturing and production

Aerospace Corp. devises new surface-passivation technique (N), Aug., p. 55.
Arizona beckons Varian (FE), Dec., p. 27.
Compact diamond saw cuts full-sized substrates (PT), Dec., p. 149.
CTS: ceramics outshine gold (FE), Sep., p. 27.
DARPA's X-ray topography (FE), Oct., p. 23.
Keene's piggyback heatsink (FE), Jun., p. 27.
Laser trimming from Matec (FE), Nov., p. 31.
Mechanical circuit assemblers debut at California Amplifier (N), Dec., p. 29.
Microcircuit surface analysis techniques overcome contamination hazards (DF), Dec., p. 96.
Military comsats recruit high-speed GaAs (N), Dec., p. 35.
New gear at Rogers (FE), Oct., p. 19.
New Mil Spec takes hold (FE), Nov., p. 31.
Varian, HP target fabrication (FE), Aug., p. 27.
X-ray litho for DOD (FE), Feb., p. 22.

Markets

Broadband LANs gaining ground (N), May, p. 83.
Hughes forms Microwave Div. (FE), Jun., p. 27.
Marconi sells police, fire radios (FE), Sep., p. 31.
Market blooms for microwave test equipment (N), Apr., p. 55.
Of three licensing agreements (FE), May, p. 27.
On time, from ITT Cannon (FE), Jun., p. 19.
"Star Wars" initiative sparks laser market (N), Jun., p. 55.
Tek offers hybrids and ceramics (FE), Sep., p. 23.
Varian strengthens its solid-state line (N), Jun., p. 59.

Medical applications

TV transmitters fight cancer (N), Apr., p. 54.

Microstrip design

Calculator program simplifies microstrip line computations (DF), Jul., p. 103.
Calculator program synthesizes microstrip coupled lines (DF), May, p. 215.
Narrowband elliptic filters on microstrip (DF), Nov., p. 74.

(continued on next page)

WR-22
Call WAVELINE for your WR-22 needs. . . In stock– ready to ship.
(201) 226-9100

Come to the established leader in quality
MICROWAVE COMPONENTS
1.7–50 GHz

Waveguide Attenuators • Adapters • Switches • Horns • Shorts • Loads
Directional Couplers • Elbows, Twists & Straight Sections

At WAVELINE, "Quality" is designed into every component—from special materials, to exacting manufacturing controls. . .all in stock, ready to ship. If your need is for "specials", WAVELINE'S 37 years of experience designing custom microwave components can work for you. Call WAVELINE for a wide variety of reliable Microwave Components. . .at competitive prices. . .in the quantities you need. . .in stock ready to ship.
WAVELINE also designs and manufactures DOUBLE-RIDGE Waveguide Components. Contact factory for more information.

CALL OR WRITE FOR CATALOG **(201) 226-9100**

waveline

WAVELINE INC., P.O. Box 718 West Caldwell, NJ 07006

IN STOCK...READY TO SHIP

READER SERVICE NO. 90

TELEDYNE MICROWAVE

COAXIAL SWITCHES

Ready when you are!

Teledyne Microwave believes your time is valuable. While you've spent hours designing and developing a system, we have been designing coaxial switches to meet your needs. That is why we offer so many different models of coaxial switches from stock. They are ready when you are.

Coaxial Switches DC-18 GHz *Delivered from Stock*

Type	Model
SPDT, Failsafe	CS-33S10
SPDT, Latching	CS-33S6C
SP3T, Failsafe	CS-38S13
SP4T, Failsafe	CS-38S14
SP5T, Failsafe	CS-38S15
SP6T, Failsafe	CS-38S16
Transfer, Failsafe	CS-37S10
Transfer, Latching	CS-37S6C

Most models are available from stock with indicators and/or TTL drivers.

If you need reliable coaxial switches and you need them right away, call us. We take pride in meeting your needs.

TELEDYNE MICROWAVE

Teledyne Microwave
1290 Terra Bella Avenue
Mountain View, CA 94043
Phone: (415) 968-2211
TWX: 910-379-6939

© Teledyne Microwave, 1984

READER SERVICE NO. 91

Annual Index *(continued from p. 157)*

Military electronics

A blue Northrop laser (FE), Aug., p. 19.
A dual-mode eye from Hughes [laser tracker] (N), Nov., p. 49.
A frequency-hopping TV show (FE), Dec., p. 25.
Air Force seeks SINCGARS (FE), Nov., p. 19.
Army builds video "shooting gallery" (N), Jan., p. 57.
Army gets "night-stalking" Cobras (FE), Sep., p. 19.
Army's MMS passes muster [fire-control] (FE), Aug., p. 27.
A score for Maverick (FE), Oct., p. 27.
Auto-recognition on target? (FE), Mar., p. 22.
Boeing building simulator (FE), Feb., p. 27.
Corvus emulates US Army (FE), Jul., p. 19.
ELINT design melds classic methods (DF), Sep., p. 150.
E-Systems gets C^3I bus (FE), Jul., p. 23.
Hazeltine GETs PRICE (FE), Apr., p. 23.
Lear Siegler to fly RPVs (FE), Jun., p. 27.
Magnavox cops HF award (FE), Mar., p. 22.
Microwave airborne telemetry: Unusual problems, unusual hardware (N), Sep., p. 38.
Military systems: Force multipliers, force dividers (SR), May, p. 102.
New brass for Air Force ESD (FE), Aug., p. 23.
Northrop's FPA looks good (FE), Jun., p. 19.
Norway enlists Hughes Aircraft (FE), Mar., p. 27.
Optics: Military drives IF fiber optics (SR), May, p. 182.
Rolling command post (N), Jul., p. 43.
SINGARS from ITT: The Army's radios grow up (N), Apr., p. 29.
Trident II program is launched (FE), Jan., p. 27.
USAF adds a deputy commander (FE), Jul., p. 19.
US Army may purchase Ptarmigan, Britain's mobile switching network (N), Jul., p. 49.

Millimeter waves

Analytical model speeds planar-mixer diode design (TCU), Sep., p. 102.
Covert net from Sperry (FE), Aug., p. 19.
Detecting and analyzing signals at millimeter-wave frequencies (PT), Jun., p. 162.
Finally, a market in millimeter waves (TCU), Sep., p. 90.
Find optimum substrate thickness for millimeter-wave GaAs MMICs (TCU), Sep., p. 123.
GaAs FETs formidable in 35-GHz circuits (TCU), Sep., p. 131.
Generating power at mm-wave frequencies (PT), May, p. 243.
Millimeter-wave Specifier's Guide (TCU), Sep., p. 135.
Modifications extend coverage of analyzer (TCU), Sep., p. 96.
NASA seeking high-power 60-GHz IMPATT diodes (DF), Aug., p. 100.
Straightforward approach produces broadband transitions (TCU), Sep., p. 113.
Technology Close-up: Millimeter waves (TCU), Sep., p. 87.
Operating diodes at mm-wave frequencies (PT), Apr., p. 143.

Passive components

Chip attenuators accurate to ±0.25 dB (PT), May, p. 252.
Dale pursues surface mounting [resistive components] (FE), Sep., p. 27.
Ridge waveguide used in microstrip transition (DF), Mar., p. 149.
60-way radial combiner uses no isolators (DF), Jul., p. 96.
Waveguide-to-microstrip transition uses evanescent mode (DF), Jan., p. 99.

MMICs

Alpha joins GaAs MMIC hunt (FE), Nov., p. 19.
Avantek's new MMIC foundry (FE), Jun., p. 23.
GaAs MMICs perform in phase shifters (N), Apr., p. 49.
Monolithics: Full acceptance still elusive (SR), May, p. 168.

Procurement

Air Force notes achievement (FE), May, p. 19.
Eaton contemplates Naval award (FE), Jul., p. 19.
Procurement policies: Component orders may go unquoted (SR), May, p. 202.
USAF decorates TRW (FE), Sep., p. 31.

Professional concerns

And the nominations are . . . [1983 National Technology Medals] (FE), Jun., p. 23.
EIA forms new group (FE), Nov., p. 23.
Employers, employees, and the battle for information (N), Jun., p. 46.
Final call for '85 MTT-S (FE), Nov., p. 19.
Gould wins John Scott medal (FE), May, p. 23.
IEEE launches PEER (FE), Feb., p. 27.
IEE mourns president-elect (FE), Apr., p. 23.
Increased US participation characterizes EuMC'84 (N), Nov., p. 51.
Polytechnic's microwave M.S.E. (FE), Sep., p. 31.
The use and abuse of employee confidentiality and invention agreements (N), May, p. 47.
U-Michigan's new facility (FE), Aug., p. 27.
Weinschel at Smithsonian (FE), May, p. 23.
Weinschel up for IEEE post (FE), Jan., p. 22.
Where the jobs are [US survey] (N), May, p. 86.

Radar

AEGIS gets new class (FE), Jun., p. 23.
An ATC radar from Marconi (FE), Oct., p. 31.
A warning system up north (FE), Oct., p. 19.
Aydin envisions 3-D radar (FE), Feb., p. 27.
Canadian firm lands airborne radar contracts (N), Feb., p. 69.
First RTS for Canada (FE), Aug., p. 19.
Honeywell's altimeter for AGM-130 (FE), Dec., p. 21.
Hughes offers new RCS measurement system (N), Jun., p. 54.
Joint R&D by Sperry, M/A-COM (FE), Sep., p. 23.
Lockheed takes AIM (FE), May, p. 23.
Lockheed's compact range (FE), Nov., p. 19.
Marconi's new monopulse SSR paves the way for mode S (N), Feb., p. 39.
Mobile spectrometer measures radar backscatter (DF), Sep., p. 156.
New digital-RF technology aids airborne weather radar (DF), Apr., p. 95.
New-generation radar (N), Feb., p. 44.
PRC leaps to Racal radar (FE), Jul., p. 31.
Program computes radar "beam shrink" (DF), Apr., p. 89.
Raytheon guides Canada (FE), Jun., p. 19.
Requests for Joint STARS (FE), May, p. 23.
Selecting power transistors for shipboard search radars (DF), Apr., p. 83.
Spain buys Marconi radars (FE), Nov., p. 27.
Spain gets US radar station (FE), Feb., p. 22.
Spotlight's on radar patterns (FE), Jul., p. 27.
Strong program on tap for 1984 National Radar Conference (N), Feb., p. 44.
Watchman guards Majorca (FE), Apr., p. 19.

Regulation

A state official discusses cellular radio (N), Jan., p. 37.

CBS heads frequency committee (FE), Jan., p. 22.
EIA wants dbx stereo TV (FE), Apr., p. 27.
Former member: FCC "bonkers" (FE), Jan., p. 22.
Okay to nonionizing radiation (FE), Aug., p. 31.
Radar detector makers organize (FE), Oct., p. 27.
Reagan signs R&D, CATV bills (FE), Dec., p. 23.
US, Canada okay NABTS (FE), Jul., p. 31.
Zenith and dbx join forces to bring on stereo television (N), Jul., p. 33.

Research and development

Big-bang optical choppers (FE), Dec., p. 21.
Comm, radar needs highlight MM'84 (N), Dec., p. 39.
Microwaves aid analysis (FE), Feb., p. 22.
Military Microwaves Conference 1984 (SR), Sep., p. 65.
1984 International Microwave Symposium (SR), May, p. 100.
SERC's submillimeter-wave telescope proceeding on schedule (N), Mar., p. 43.
The 14th European Microwave Conference (SR), Aug., p. 67.
The Navy, Brimrose, and HgMnTe (FE), Aug., p. 19.

Semiconductors

A five-year quest to prove MW power transistor reliability (DF), Jul., p. 71.
A gem of a find [diamond heatsinks] (FE), Apr., p. 19.
Beam-lead quads play a microstrip medley (DF), Feb., p. 107.
Diamond shines in high-power devices (DF), Jul., p. 74.
Digital GaAs ICs hit gigahertz speed mark (PT), Feb., p. 133.
Discrete semiconductors: Power transistors reach new heights (SR), May, p. 122.
FETs from SGS Semiconductor (FE), Sep., p. 27.
From GTE, the SIT (FE), Feb., p. 19.
GaAs MMICs are ready and able for EW (PT), Mar., p. 158.
Get a handle on GaAs FETs (DF), Feb., p. 79.
It's GaAs FETs from Sony (FE), Sep., p. 19.
Mix harmonics with dual-beam-lead diodes (DF), May, p. 209.
Modeling RF transistors when the heat's on (DF), Feb., p. 97.
New crystals outpulse Nd:YAG (FE), Sep., p. 27.
New GaAs FET start-up (FE), May, p. 27.
Plessey bids for preeminence in GaAs ICs (N), Mar., p. 49.
Production, not theory, pursued at IEEE GaAs IC Symposium (N), Feb., p. 49.
Selecting power transistors for shipboard search radars (DF), Apr., p. 83.
Semiconductor strategies aim at 800-MHz applications (DF), Aug., p. 95.
Si tuning varactors combine high Qs and large tuning ratios (PT), Feb., p. 146.
The GaAs FETs of Sony (FE), Oct., p. 23.

Solid-state design

From the UK, a better transmitter (FE), May, p. 19.
Low-power television gets solid-state boost (PT), Mar., p. 165.
Mix harmonics with dual-beam-lead diodes (DF), May, p. 209.
Network building blocks balance power amp parameters (DF), Jul., p. 81.
New limiters protect low-noise FET amps (DF), Feb., p. 89.
Previewing the 1984 IEEE Solid-State Circuits Conference (N), Jan., p. 50.
Switching MOSFETs suit linear 500-W HF amp (DF), Oct., p. 141.
Temperature compensation using thermistors (DF), Apr., p. 101.
Transistor device techniques aid circuit designers, too (DF), Oct., p. 125.
UHF preamplifier centers on budget dual-gate FET (PT), Feb., p. 141.

Sources

Active MESFET multipliers solve low signal levels (DF), Aug., p. 129.
Atomic oscillators stand test of time (TCU), Jun., p. 95.
Backward-wave oscillators offer high power at Q-band (PT), Aug., p. 174.
Choosing devices for quiet oscillators (PT), Aug., p. 166.
Computer analysis aids oscillator designers (PT), Sep., p. 211.
Designing oscillators for spectral purity (PT), Jul., p. 133.
Planar IMPATT diode oscillator using dielectric resonator (DF), Oct., p. 145.
Reduced-cavity DROs exhibit excellent noise performance (DF), Oct., p. 135.
Sampling hikes performance of frequency synthesizers (DF), Jan., p. 93.
Self-mixing oscillators simplify smart weapons (DF), Jun., p. 126.
Strip-ring resonator makes harmonics-rich oscillator (DF), Jun., p. 132.
Varactorless VCOs: Transistors go it alone (DF), Jun., p. 137.

Space and satcom

ACTS: NASA's program halfway there (N), Feb., p. 61.
Alpha scales Olympus (FE), Apr., p. 19.
A movable dish from S/A (FE), Apr., p. 27.
Army opens school of the air (FE), Dec., p. 21.
A teleport for the Gulf (FE), Dec., p. 27.
A trio of new Hughes satcoms (N), Jan., p. 53.
Avantek, Equatorial join hands [TVROs] (FE), Dec., p. 21.
Combating spectral congestion (FE), Aug., p. 23.
COMSAT antes up for USTTI (FE), Jul., p. 27.
COMSAT drops SBS (FE), Sep., p. 27.
Defining NASA's TOPEX (FE), May, p. 27.
Final GEODSS in Portugal (FE), Jun., p. 23.
German satcoms by 1987 (FE), Mar., p. 22.
GTE boards space shuttle [secure crew communications] (FE), Aug., p. 23.
Harris joins Space Station team (FE), Dec., p. 21.
"Haves" and "have nots" to butt heads at Space WARC (N), Nov., p. 33.
Help on way for SARSAT (FE), Jul., p. 23.
High linearity from an electrooptical transponder (N), May, p. 38.
How NASA got TDRS-1 to communicate (N), Jul., p. 44.
Hughes joins MILSTAR (FE), May, p. 19.
Hughes, RCA propose EOSAT (FE), Jul., p. 23.
INMARSAT coasts in France (FE), Mar., p. 27.
INMARSAT radome (N), Apr., p. 54.
ITT invests in space defense (FE), Nov., p. 31.
ITT plans Manhattan dish (FE), May, p. 23.
Land mobile for all terrains (FE), Aug., p. 27.
Land-mobile satellites pick up where cellular radio leaves off (N), Aug., p. 33.
Lockheed sensors for ETS-V (FE), Feb., p. 27.
M/A-COM nets Schlumberger (FE), Jun., p. 23.
NASA's new communications network (N), Dec., p. 41.
NASA's space station to midwife modular satellites (N), May, p. 29.
New Skylines from SBS (FE), Mar., p. 19.
RCA's big new test chamber (FE), Jan., p. 19.
RCA's pot of gold (FE), Mar., p. 27.
Ready in twenty [Army satcom terminals] (N), Jun., p. 55.
SARSAT/COSPAS: Saving lives through cooperation in space (N), Oct., p. 33.
Satellite communications: The satcom boom goes international (SR), May, p. 154.
Skylink readies its "thin-route" mobile satellite service (N), Aug., p. 39.
Solid-state amplifier replaces satcom TWTAs (PT), Aug., p. 170.
So long, Satcom I (FE), Jul., p. 27.
Space platform really needed? (FE), Oct., p. 19.

(concluded on next page)

TELEDYNE MICROWAVE

ISOLATORS

There when you need them!

Sometimes a need for better isolation is unexpected. A mismatch may occur, or return loss may be greater than anticipated. Teledyne Microwave understands this. That is why we stock broadband isolators from 1 to 26.5 GHz. They are there when you need them!

Delivered from Stock

Isolators–1 to 26.5 GHz

Frequency (GHz)	Isolation (dB)	Loss (dB)	VSWR	Model
1-2	18	0.5	1.25:1	T-1S63T-18
2-4	17	0.5	1.35:1	T-2S63T-6
4-8	17	0.4	1.35:1	T-4S63T-10
7-11	28	0.4	1.10:1	T-7S43T-6
7.6-18	16	0.8	1.50:1	T-7S83T-20
8-12.4	17	0.4	1.35:1	T-8S43T-1A
8-16	17	0.5	1.35:1	T-8S63T-18
10-20	17	0.7	1.35:1	T-10S63T-5
12-18	18	0.5	1.30:1	T-12S43T-8
18-26.5	17	1.0	1.50:1	T-18S33T-7

Small package designs with SMA female connectors are standard.

Call us about your isolator requirements, both standard and custom. We take pride in meeting your needs.

TELEDYNE MICROWAVE

Teledyne Microwave
1290 Terra Bella Avenue
Mountain View, CA 94043
Phone: (415) 968-2211
TWX: 910-379-6939

© Teledyne Microwave, 1984

READER SERVICE NO. 92

To find a job that's one in a thousand, search the data base that's one of a kind.

Consult CLEO—the intelligent recruitment medium—for just the cost of a phone call to one of the following access numbers.

Area Code	300 Baud	1200 Baud
Eastern U.S.		
201	688-5599	688-5564
301	982-0224	982-0225
Western U.S.		
213	618-8800	618-8817
408	294-2000	294-2426
415	482-1550	482-1557
619	224-8800	224-8838
714	476-8800	476-2143
818	991-8900	991-8916

CLEO Computer Listings of Employment Opportunities 2164 West 190th Street, Torrance, California 90504

Full duplex, standard ASCII code. Access Assistance: (213) 618-1525. Advertisers call (800) 621-9147. In California, call (800) 328-2263. In Los Angeles, call (213) 618-0200.

READER SERVICE NO. 93

microwave ceramic cutting

...with Aremco's Accu-Cut™ 5200 series dicing saws.

Use Accu-Cut™ semi-automatic or computer-controlled units to dice ceramics and glass for chip-free, low-loss, strip-line hybrids/components.

Ask for data on equipment and accessories. Send samples for recommendations.

AREMCO PRODUCTS, INC.

23 SNOWDEN AVE., BOX 429 (914) 762-0685

OSSINING, NY 10562 TELEX: 137442

READER SERVICE NO. 94

Annual Index *(continued from p. 159)*

Space systems: Interoperability is the crux (SR), May, p. 156.
SSE designing TDRSS station (FE), Sep., p. 23.
Thorn on STS's side (FE), Jul., p. 19.
TVROs from Luxor/Magnum (N), Jun., p. 38.
Where and when from Trimble [GPS receivers] (FE), Aug., p. 31.

Synthesizers

Atomic oscillators stand test of time (TCU), Jun., p. 95.
$A_kU^{®} = S_{ce}$ (An equation for cost-effectiveness) (TCU), Jun., p. 89.
Don't ignore output level in instrumentation synthesizers (TCU), Jun., p. 84.
Extending sampling to Type II phase-locked loops (DF), Sep., p. 171.
4-GHz counters bring synthesizers up to speed (TCU), Jun., p. 113.
Frequency resolution, accuracy, and drift (TCU), Jun., p. 80.
Market for synthesizers has never looked brighter (TCU), Jun., p. 75.
Miniature RF synthesizer generates giant performance (PT), Dec., p. 135.
Specifier's Guide [instrumentation and subsystem synthesizer manufacturers] (TCU), Jun., p. 123.
SSB phase noise: A key specification (TCU), Jun., p. 100.
Synthesizer primer: Defining the elements of good design (TCU), Jun., p. 79.
Synthesizers benefit from SAW technology (PT), Jun., p. 145.
The common denominators in "fractional N" (TCU), Jun., p. 107.
Understanding the specifics of sampling in synthesis (DF), Aug., p. 120.

Test and measurement

ARFTG update: In search of the ultimate controller (N), Mar., p. 51.
ARFTG update: Vector analyzers conquer millimeter waves (N), Aug., p. 51.
Build a millimeter-wave vector-measurement system (PT), Oct., p. 169.
Build a simple real-time Smith chart reflectometer (DF), May, p. 225.
Calibration program aims at the absolute volt (PT), Mar., p. 181.
CEEE's progress report [NBS bulletin] (FE), Dec., p. 27.
Channel simulator tests digital mobile radios (DF), Aug., p. 115.
Coaxial test fixture fits network measurement needs (PT), Aug., p. 189.
Compact frequency counter offers oven stability (PT), Jul., p. 154.
Counters zero in on high frequencies (PT), Jul., p. 121.
Create a millimeter-wave vector-measurement system (PT), Jun., p. 150.
Determine the accuracy of loss measurements (DF), Jan., p. 73.
Frequency synthesizers ride a rising ECM tide (PT), May, p. 231.
Hughes offers new RCS measurement system (N), Jun., p. 54.
Improved test methods ease phase-noise measurement (PT), Nov., p. 148.
Know the meaning of signal-to-noise ratio (PT), Feb., p. 153.
Measure the noise levels of microwave components (PT), Jan., p. 147.
Miniature RF synthesizer generates giant performance (PT), Dec., p. 135.
Miniature signal generators fill multiple-source needs economically (PT), Mar., p. 172.
Modular measurement system: More than a spectrum analyzer (PT), Dec., p. 117.
Motorola gets first OT4000 [optoelectronic test system] (FE), Jul., p. 31.
NBS charts mm-wave noise (FE), Jun., p. 27.
NBS: Even ATE fails (FE), Aug., p. 23.
NBS fights time jitter (FE), May, p. 27.
NBS plans new service in 1984 (N), Jan., p. 43.
NBS requests $126.1 million (FE), Apr., p. 23.
Network analyzer doubles as oscillator diagnostician (DF), Jul., p. 106.
Network analyzer makes real-time vector measurements (PT), Jan., p. 125.
Peak meter enlists CRT to analyze power (PT), Mar., p. 174.
Plug-in brings digital oscilloscope to 500 MHz (PT), Apr., p. 149.
Q measurements of microstrip-coupled dielectric resonators (DF), Jan., p. 81.
Residual resistance is key to testing passive components (DF), May, p. 229.
RF power meters: Measurement workhorses (SR), Jan., p. 65.
Simplified receiver response measurements (DF), Mar., p. 147.
Specifier's guide [instrumentation and subsystem synthesizer manufacturers] (TCU), Jun., p. 123.
Spectrum analyzers for Algeria (FE), May, p. 23.
Spectrum analyzers get "brain" transplant (PT), Apr., p. 152.
Spectrum analyzers: Windows on an RF world (SR), Apr., p. 71.
Spectrum analyzer is portable lab assistant (PT), Jan., p. 117.
Synthesized signal generator breaks cost-performance barrier (PT), Oct., p. 153.
Synthesizers benefit from SAW technology (PT), Jun., p. 145.
Technique simplifies AM-to-PM measurements (DF), Aug., p. 108.
Test and measurement: The versatile microprocessor (SR), May, p. 192.
Testing the TRIDENT II (FE), May, p. 19.
The moon and coax (FE), Sep., p. 19.
Two-channel synthesizer creates complex waveforms (PT), Oct., p. 183.
Use discontinuity plane to measure stripline-fed slots (DF), Jan., p. 87.

Tubes

A ton and a half of klystron (FE), Nov., p. 31.
Brazed-helix TWT is a powerhouse (PT), Mar., p. 178.
DBS TWTs put to test at COMSAT Labs (N), Jun., p. 33.
EEV's "tuning fork" magnetron (FE), Feb., p. 19.
Eliminate confusion in TWTA specifications (DF), Jul., p. 91.
Ku-band magnetron is frequency agile (PT), Feb., p. 151.